

# TRACK AND FIELD

CATALOGUE

2025-26



**Nelco<sup>®</sup>**  
Do....Dare....Win !!

## TEAM NELCO SETS A BENCH MARK FOR TRACK & FIELD EQUIPMENT!!

Established in 1942 at Lahore in undivided India and reborn in 1950 at Meerut after the partition of India, Nelco has become the most recognized Track & Field equipment brand across the world. Be it at the Athletics Federation of India's domestic circuit, World Athletics Federation's numerous meets or the Olympiads; you will find a Nelco implement everywhere.

## QUALITY IS THE PHILOSOPHY

Track & Field as a unique sport makes the human body and mind reach for its ultimate boundaries of endurance and speed. We at Nelco understand that we can contribute to the athlete's performance by assuring the best quality equipment. Our quality control team constantly evaluates our finished products and raw material to consistently produce top quality equipment. New techniques and better raw material are regularly introduced to the production line to enhance quality of products.

## INNOVATION IS THE WAY TO MOVE FORWARD

Athletes at the competitive level have the mental toughness, physical potential and the technique to reach the record books. But it is that extra edge which makes them clear the final bastion. It is here that Nelco steps in to provide that extra edge with The Right Implement\*. Consistent and dedicated R&D has resulted in many innovations over the last few decades helping us produce the most suitable equipment for different levels of athletes.

## SERVICE IS THE KEY TO SUCCESS

Nelco Track & Field Equipment is available across the nation through a network of 300+ dealers and re-sellers. Nelco products are available in 70+ countries through dedicated distributors. All queries addressed to our customer care email (cc@nelcworld.com) are addressed within 24 hours by our team of experts.

## THE RIGHT APPROACH

All the above factors have contributed to Nelco being known as the best engineered and most popular throwing implements.

## THE RIGHT IMPLEMENT\*

Team Nelco understands what it takes for a world class thrower to reach that extra distance. This is why the right implement\* is required. Nelco has a perfect Discus, Shot or Hammer for every thrower!! We help the throwers to select the best implement to reach his or her full potential. Superior aerodynamics, firmer grip and the right ingredients make it much easier for a thrower to handle the implement and have full control over it when it leaves the hand resulting in a better and farther throw. Constant innovations have resulted in our highly acclaimed PMD\* and HRM\* technologies for discus throw enabling us to produce the widest range of discus for various level of throwers.

The new Nelco KIN-O-MAX Shot Puts and Hammers are designed to achieve maximum Kinetic Energy when in motion to enable a perfectly Balanced Throw. This optimum performance is achieved with a right mix of material, diameter and weight.

### The Right Discus\*

A higher rim weight discus suits a thrower who has a more evolved technique. A thrower who can maintain a spin through two-thirds or more of the throw should move up to a higher rim discus. A lower rim discus may stay in the hand longer for more control and may suit a beginner or an intermediary thrower.

Wind is also a factor that effects selection of your discus. A high rim discus that may encounter a crosswind will tip prematurely reducing throw potential. One may move to a lower rim discus for better control in windy conditions. Thus, it is necessary to carry a mix of discus in your kit.

Nelco is the most thrown discus than any other brand over the past two decades.

Nelco is the only brand to offer Distance Rated Discus with its Trademark RimGlide Technology. RimGlide Technology is available on all Competition Discus. It makes it easier for a thrower to select best suited Discus.

Nelco offers PMD technology on all its top end discus to ensure that your expensive competition discus outlasts all others.

Nelco is the most copied discus in the world. Kindly ensure that your discus comes with a Nelco hologram to ensure genuine product.

### The Right Shot Put\*

From a bio-mechanical point of view, a larger shot will give a greater contact area and push zone resulting in a farther throw. But it is not necessary that the largest shot is the most suitable.

It is essential to select the most suitable diameter of shot based on your finger size. Finger length is critical. The shot must rest on the pad (callus) of the palm and the fingers must be up the side of the shot. Throwers with shorter fingers may find that the smaller diameter shot feels better at delivery and similarly, those with longer fingers may like the feel of the larger diameter shot.

Our new KIN-O-MAX technology addresses all these issues with a perfect Shot Put for all throwers!



Do....Dare....Win !!

## ACHIEVEMENTS

Nelco Track & Field Equipment/Implements have been used at the following major events:

- 1982 IX Asian Games at New Delhi, India.
- 1986 X Asian Games at Seoul, South Korea.
- 1991 IAAF World Athletic Championships at Tokyo, Japan
- 1992 XXV Olympic Games at Barcelona, Spain.
- 1996 XXVI Olympic Games at Atlanta, United States of America.
- 1999 IAAF World Athletic Championships at Seville, Spain.
- 2000 XXVII Olympic Games at Sydney, Australia.
- 2001 IAAF World Athletic Championships at Edmonton, Canada.
- 2002 XIV Asian Games at Busan, South Korea.
- 2002 X Junior Asian Athletic Championships at Bangkok, Thailand.
- 2003 Asian Athletic Championships at Manila, Philippines.
- 2003 IAAF World Athletic Championships at Paris, France.
- 2003 I Afro-Asian Games at Hyderabad, India.
- 2004 XXVIII Olympic Games at Athens, Greece.
- 2004 X Junior Asian Athletic Championships at Ipoh, Malaysia.
- 2005 World Athletic Championships at Helsinki, Finland.
- 2006 XVII Commonwealth Games at Melbourne, Australia.
- 2006 XV Asian Games at Doha, Qatar.
- 2006 XI World Junior Athletic Championships at Beijing, China.
- 2006 X IAAF World Athletic Championships at Athens, Greece.
- 2006 World Sea Games, Malaysia.
- 2007 IAAF World Athletic Championships at Osaka, Japan.
- 2007 IAAF World Junior Athletic Championships at Ostrava, Czech Republic.
- 2008 IAAF World Junior Athletic Championships at Bydgoszcz, Poland.
- 2008 XII IAAF World Indoor Athletic Championships at Valencia, Spain.
- 2008 XXIX Olympic Games at Beijing, China.
- 2009 XII IAAF World Athletic Championships at Athens, Greece.
- 2009 XI IAAF World Youth Athletic Championships at Sudtiro, Italy.
- 2010 XIII IAAF World Indoor Athletic Championships at Doha, Qatar.
- 2010 XIII IAAF World Junior Athletic Championships at Moncton, Canada.
- 2010 XVIII Commonwealth Games at New Delhi, India.
- 2011 IAAF World Youth Championships at Lille, France
- 2011 XIII IAAF World Athletics Championships at Daegu, Korea
- 2012 IAAF World Junior Championships at Barcelona, Spain
- 2012 XXX Olympic Games at London, U.K.
- 2013 XX Asian Athletic Championships at Pune, India
- 2013 VIII IAAF World Youth Championships at Donetsk, Ukraine
- 2013 XIV IAAF World Championships at Moscow, Russia
- 2014 XVI Asian Junior Athletics Championship at Taipei, Taiwan
- 2014 European Athletics Championship at Zurich, Switzerland
- 2014 Youth Olympic Games at Nanjing, China
- 2014 International Continental Cup at Marrakech, Morocco
- 2014 XVII Asian Games at Incheon, South Korea
- 2015 I Asian Youth Championships at Doha, Qatar
- 2015 IAAF World Challenge at Beijing, China
- 2015 XXI Asian Athletics Championships at Wuhan, China
- 2105 FISU Games (Athletics) at Gwangju, Korea
- 2015 IX IAAF World Youth Championships 2015 at Cali, Columbia
- 2105 XXIII European Athletics Junior Championships at Eskilstuna, Sweden
- 2015 Pan American games (Athletics) at Toronto, Canada
- 2015 XV IAAF World Championships at Beijing, China
- 2016 XVI IAAF World Indoor Athletic Championships at Portland, USA
- 2016 XXXI Olympic Games at Rio de Janeiro, Brazil
- 2016 XII South Asian games at Guwahati & Shillong, India
- 2016 XXIII European Athletics Championships at Amsterdam, Netherlands
- 2017 XVI IAAF World Athletic Championships at London, United Kingdom
- 2017 XXIX South East Asian Games at Kuala Lumpur, Malaysia
- 2018 III International Continental Cup at Ostrava, Czech Republic
- 2018 XXI Commonwealth Games at Gold Coast, Australia
- 2018 XVIII Asian Games at Jakarta Palembang, Indonesia
- 2018 XXIV European Athletics Championships at Berlin
- 2019 XVI IAAF World Athletic Championships at Doha, Qatar
- 2021 XXXII Olympic Games at Tokyo, Japan.
- 2022 XVIII World Athletics Championships at Oregon, USA
- 2023 XXV Asian Athletics Championships at Bangkok, Thailand.
- 2023 XIX World Athletics Championships at Budapest, Hungary
- 2024 Para World Athletics Championships, Kobe, Japan
- 2024 XXVI European Athletics Championships at Rome, Italy
- 2024 XXXIII Olympics Games at Paris, France
- 2025 Para World Athletics Championships, New Delhi, India

**Nelco**<sup>®</sup>  
Do...Dare...Win !!

**The RimGlide™ Range**



**DISCUS**

ULTRA SPIN  
ODYSSEY  
GOLD  
SUPER SPIN  
ULTIMO  
OLYMPIA  
LO SPIN

**RANGE**

RimGlide™ 78m  
RimGlide™ 75m  
RimGlide™ 75m  
RimGlide™ 70m  
RimGlide™ 70m  
RimGlide™ 67m  
RimGlide™ 65m




**TECHNOLOGIES**  
RimGlide™



**SPIN RANGE**



**LOW** → **MEDIUM-HIGH** → **HIGH** → **VERY HIGH**

Now All Genuine Nelco Products Come With  
3d Holographic Lables 

Do...Dare...Win !!

[www.nelcworld.com](http://www.nelcworld.com)

## ULTRA SPIN GOLD RimGlide™ 78M

NEW ULTRA SPIN GOLD DISCUS features a Unique double Galvanized Black Rim. The Wider High Retention Rim Gives More Control even with the best of spinning techniques. Suited for the Champion thrower.

- N 1105 USA (DARK CUSTOM) 2.000 kg WA CERTIFIED
- N 1105 USAA (DARK CUSTOM) 1.750 kg
- N 1105 USB (DARK CUSTOM) 1.616 kg
- N 1105 USBB (DARK CUSTOM) 1.500 kg
- N 1105 USC (DARK CUSTOM) 1.000 kg WA CERTIFIED



## GOLD RimGlide™ 75M

Featuring brass rim white & yellow strong "ABS" plastic plates. A record setter and the most winning discus.

- N 1105 GA 2.000 kg WA CERTIFIED
- N 1105 GB 1.750 kg
- N 1105 GC 1.616 kg
- N 1105 GCC 1.500 kg
- N 1105 GD 1.000 kg WA CERTIFIED



Please mention Colour / Version while ordering.



## ODYSSEY RimGlide™ 75M

Nelco Odyssey features an alloy steel (rust proof) rim and reinforced strongest plates. Ultra super spin discus for the new century throwers.

- N 1105 ODA 2.000 kg WA CERTIFIED
- N 1105 ODAA 1.750 kg WA CERTIFIED
- N 1105 ODB 1.616 kg
- N 1105 ODBB 1.500 kg
- N 1105 ODC 1.000 kg WA CERTIFIED




Please mention Colour / Version while ordering.



## ULTIMO RimGlide™ 70M

Discus with ideal Spin for best performance with reinforced plates.

- N 1104 AU 2.000 kg
- N 1104 BU 1.750 kg
- N 1104 CU 1.616 kg
- N 1104 DU 1.500 kg
- N 1104 EU 1.000 kg



DISCUS

Do....Dare....Win !!

## SUPER SPIN RimGlide™ 70M

One of the best selling Discus used by top throwers around the world. Special design with ideal Rim Weight gives super spin - super carry and super stability in flight.

N 1105	A	2.000 kg	WA CERTIFIED
N 1105	AB	1.750 kg	WA CERTIFIED
N 1105	AA	1.616 kg	
N 1105	BB	1.500 kg	
N 1105	B	1.000 kg	WA CERTIFIED



Please mention Colour / Version while ordering.



## OLYMPIA RimGlide™ 67M

Steel rim yellow ABS plates. A high performance discus.

N 1104	AS	2.000 kg	WA CERTIFIED
N 1104	AAS	1.750 kg	
N 1104	ABS	1.616 kg	
N 1104	BS	1.500 kg	WA CERTIFIED
N 1104	CCS	1.250 kg	
N 1104	CS	1.000 kg	WA CERTIFIED



Please mention Colour / Version while ordering.



## LO SPIN RimGlide™ 65M

Oldest & Strongest discus in the world. Lo spin red. Suitable for all throwers. Now with Superior Dark Custom Black Rim

N 1104	A	2.000 kg.	WA CERTIFIED
N 1104	AA	1.750 kg.	WA CERTIFIED
N 1104	AB	1.616 kg.	
N 1104	B	1.500 kg.	WA CERTIFIED
N 1104	CC	1.250 kg.	
N 1104	C	1.000 kg.	
N 1004	D	0.750 kg.	WA CERTIFIED
N 1004	E	0.600 kg.	



Please mention Colour / Version while ordering.



Do....Dare....Win !!

## CHALLENGER

Made for collegiate and club use. Steel rim. Blue plastic sides 73% Rim Weight

N 1104	AC	2.000 kg
N 1104	AAC	1.750 kg
N 1104	ABC	1.616 kg
N 1104	BC	1.500 kg
N 1104	CCC	1.250 kg
N 1104	CC	1.000 kg
N 1104	DC	0.750 kg
N 1104	EC	0.600 kg



## COMPETITION

A discus with a feel of top line discus at a low cost. 70% Rim Weight Steel rim and Purple Plastic plates

N 1104	AP	2.000 kg
N 1104	AAP	1.750 kg
N 1104	ABP	1.616 kg
N 1104	BP	1.500 kg
N 1104	CEP	1.250 kg
N 1104	CP	1.000 kg
N 1104	DP	0.750 kg
N 1104	EP	0.600 kg



## INDIANO

A new discus especially created for beginners. Steel rim and plastic plates.

N 1104	AIO	2.000 kg
N 1104	BIO	1.750 kg
N 1104	EIO	1.616 kg
N 1104	CIO	1.500 kg
N 1104	FIO	1.250 kg
N 1104	DIO	1.000 kg
N 1104	HIO	0.750 kg
N 1104	GIO	0.600 kg



## LAMINATED POPULAR COMPETITION

Laminated wood high quality steel rim.

N 1106	AL	2.000 kg
N 1106	ALL	1.750 kg
N 1106	ABL	1.616 kg
N 1106	BL	1.500 kg
N 1106	CCL	1.250 kg
N 1106	CL	1.000 kg
N 1106	DL	0.750 kg
N 1106	EL	0.600 kg



## RUBBER BLACK DISCUS COLOURED CENTRE

Different colour centre for easy recognition.

N 1110	ACO	1.500 kg
N 1110	ADO	1.250 kg
N 1110	AEO	1.000 kg
N 1110	AO	2.000 kg
N 1110	AAO	1.750 kg
N 1110	ABO	1.616 kg



## RUBBER BLACK DISCUS

Tough durable black colour rubber. Solid one piece construction.

N 1110	A	2.000 kg
N 1110	AA	1.750 kg
N 1110	AB	1.616 kg
N 1110	B	1.500 kg
N 1110	CC	1.250 kg
N 1110	C	1.000 kg
N 1110	D	0.750 kg
N 1110	DE	0.600 kg
N 1110	E	0.500 kg



Do....Dare....Win !!

## TRAINING DISCUS

- ABS Plate steel rim.  
 N 1110PA 0.900 kg  
 N 1110PB 1.100 kg  
 N 1110PC 1.500 kg (in 1.00kg WA DIMENSIONS)  
 N 1110PD 1.900 kg  
 N 1110PE 2.100 kg  
 N1110NP 3.00 kg

(Other sizes also available on request)



## ADJUSTABLE WEIGHT TRAINING

Comes with Different weights for adjusting.  
 Strong ABS sides with steel rim.

- N 1108 A 1.75 kg to 2.20 kg  
 N 1108 B 1.25 kg to 1.60 kg  
 N 1108 C 1.40 kg to 1.80 kg  
 N 1108 D 800 gm to 1.20 kg



DISCUS

## DISCUS TRAINER

- N 1110 AT 1.50 kg  
 N 1110 DT 2.00 kg  
 N 1110 BT 2.50 kg  
 N 1110 CT 3.63 kg



## DISCUS BAG

- N 1109 F 2.000 kg  
 N 1109 G 1.000 kg  
 N 1109 FD 2.000 kg (For 2 Discus)  
 N 1109 GD 1.000 kg (For 2 Discus)  
 DISCUS THROWER KIT BAG  
 N 1109 KB (FOR 3 DISCUS, SPIKES, KIT)



Do....Dare....Win !!

## DISCUS CART

N 1110 IFC Powder Coated Cart



## DISCUS RACK

N 1110 IF Collapsible Rack / Powder Coated





Nelco Produces a wide range of Shot Put to cater to all level of throwers. Our top range of shots are precision machine turned and finely balanced to WA rules.

SHOT PUTS

## KIN-O-MAX™

- Designed to achieve maximum Kinetic Energy when in motion to enable a perfectly Balanced Throw.
- Plug Free Tough Ductile Ball.
- Precise Weight Distribution along the Edges to maintain Momentum all through the flight.
- Superior Grippier Surface with a Premium Anti-Slip Finish.



7.26 KG	129 MM	N2018 KMSA	<b>WA CERTIFIED</b>
7.26 KG	125 MM	N2018 KMSAA	
7.26 KG	120 MM	N2018 KMSB	
6.00 KG	124 MM	N2018 KMSC	
6.00 KG	119 MM	N2018 KMSD	
6.00 KG	115 MM	N2018 KMSF	
5.00 KG	119 MM	N2018 KMSG	
5.00 KG	114MM	N2018 KMSH	
5.00 KG	110MM	N2018 KMSJ	
5.00 KG	105MM	N2018 KMSK	
4.00 KG	109MM	N2018 KMSM	
4.00 KG	105MM	N2018 KMSE	<b>WA CERTIFIED</b>
4.00 KG	100MM	N2018 KMSN	
3.00 KG	108MM	N2018 KMSO	
3.00 KG	104MM	N2018 KMSP	
3.00 KG	100MM	N2018 KMSQ	
3.00 KG	95MM	N2018 KMSR	
3.00 KG	90MM	N2018 KMSS	

Do....Dare....Win !!



## STAINLESS STEEL ALLOY SHOTS

Rust proof strong stainless steel lead filled shell. Precision machine turned to different dia's to meet WA specifications.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1117 XD	7.26 kg	129 mm	WA CERTIFIED
N 1117 XE	7.26 kg	125 mm	
N 1117 XF	7.26 kg	120 mm	
N 1117 XB	7.26 kg	115 mm	
N 1117 XA	7.26 kg	110 mm	
N 1117 XAC	6.00 kg	105 mm	
N 1117 XJ	5.45 kg	103 mm	
N 1117 JC	5.00 kg	100 mm	
N 1117 XG	4.00 kg	109 mm	
N 1117 XH	4.00 kg	104 mm	
N 1117 XI	4.00 kg	100 mm	
N 1117 XC	4.00 kg	95 mm	WA
N1117XC1	3.00 kg	95 mm	

(Other sizes also available on request)



## BRASS SHOTS

Lead filled Brass Shell Precision machine turned shots. Meet WA specifications.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1117 A	7.26 kg	110 mm	WA CERTIFIED
N 1117 B	6.25 kg	107 mm	
N 1117 BB	6.00 kg	106 mm	WA CERTIFIED
N 1117 C	5.45 kg	102 mm	
N 1117 D	5.00 kg	100 mm	
N 1117 E	4.00 kg	95 mm	WA CERTIFIED
N 1117 F	3.63 kg	89 mm	

(Other sizes also available on request)



SHOT PUT

## STEEL SHOTS

Made out of solid steel or steel shell. Precision Machine turned to different dia's to meet IAAF specifications. Polyurethane paint coated for smooth and extra durable finish.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1118 AX	7.26 kg	129 mm	WA CERTIFIED
N 1118 BX	7.26 kg	125 mm	
N 1118 CX	7.26 kg	120 mm	
N 1118 DX	7.26 kg	115 mm	
N 1118 EX	7.26 kg	110 mm	
N 1118 EXA	6.00 kg	124 mm	WA CERTIFIED
N 1118 EXC	6.00 kg	105 mm	
N 1118 KX	5.45 kg	103 mm	
N 1118 FX	4.00 kg	109 mm	WA CERTIFIED
N 1118 GX	4.00 kg	104 mm	
N 1118 HX	4.00 kg	102 mm	
N 1118 IX	4.00 kg	100 mm	
N 1118 JX	4.00 kg	95 mm	

(Other sizes also available on request)



## TURNED IRON SHOTS GAUGED

Made out of solid cast iron. Precision machine turned to different dia to meet WA specifications. Balanced for high performance. Polyurethane paint coated for extra durable finish.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1118 AA	7.26 kg	129 mm	
N 1118 A	7.26 kg	128 mm	WA CERTIFIED
N 1118 AB	7.26 kg	125 mm	WA CERTIFIED
N 1118 AC	7.26 kg	120 mm	WA CERTIFIED
N 1118 B	6.25 kg	121 mm	
N 1118 BB	6.00 kg	119 mm	WA CERTIFIED
N 1118 C	5.45 kg	115 mm	WA CERTIFIED
N 1118 CA	5.45 kg	108 mm	
N 1118 D	5.00 kg	114 mm	
N 1118 EE	4.00 kg	109 mm	WA
N 1118 E	4.00 kg	108 mm	
N 1118 EA	4.00 kg	104 mm	WA
N 1118 EAA	4.00 kg	102 mm	WA
N 1118 EB	4.00 kg	100 mm	
N 1118 F	3.63 kg	104 mm	WA
N 1118 G	3.25 kg	100 mm	
N 1118 H	3.00 kg	97 mm	WA

(Other sizes also available on request)



Do....Dare....Win !!

## INTERNATIONAL TURNED IRON SHOTS

CODE	WEIGHT
N 1119 TB	20 LBS
N 1119 TC	18 LBS
N 1119 DT	7.26 kg
N 1119 TEE	6.25 kg
N 1119 TE	6.00 kg
N 1119 FTE	5.45 kg
N 1119 TG	5.00 kg
N 1119 TH	4.45 kg
N 1119 HTF	4.00 kg
N 1119 TJ	3.63 kg
N 1119 TI	3.25 kg
N 1119 GTE	3.00 kg
N 1119 TL	2.72 kg
N 1119 TN	2.00 kg



## CLUB AS CAST SHOTS

As Cast Shots

CODE	WEIGHT
N 1119 A	9.00 kg
N 1119 B	8.50 kg
N 1119 C	8.00 kg
N 1120 A	7.26 kg
N 1120 B	6.25 kg
N 1120 D	5.45 kg
N 1120 G	4.00 kg
N 1120 H	3.63 kg
N 1120 J	3.00 kg
N 1120 K	2.75 kg
N 1120 M	2.00 kg
N 1120 O	1.00 kg

(Other sizes also available)



## INDOOR SHOTS

Made out of strong hard polymer shells, holds shape but will not damage floor.

CODE	WEIGHT
N 1119 LR	7.26 kg
N 1119 MR	6.25 kg
N 1119 NR	6.00 kg
N 1119 OR	5.45 kg
N 1119 PR	5.00 kg
N 1119 QR	4.00 kg
N 1119 RR	3.00 kg
N 1119 SR	2.00 kg
N 1119 TR	1.00 kg



SHOT PUT

## SHOT PUT CART

**N 1110 KEC**  
Powder Coated Cart



Do....Dare....Win !!

## SHOT PUT RACK

**N 1110 KE**  
Collapsible Design. Powder Coated



Nelco produces a wide variety of Throwing Hammers to cater to different Level of Throwers. Competition Hammers are precision machine turned and finely balanced to WA Specifications. Speed ball-bearing on the hammer head ensures a smooth & free movement. All Competition Hammers come with Spring Steel Wire and the "Signature" Nelco WA approved Grip.

HAMMER  
THROW

HAMMER

## KIN-O-MAX<sup>™</sup>

- Designed to achieve maximum Kinetic Energy when in motion to enable a perfectly Balanced Flight.
- Tough Ductile Ball to ensure a Dent Free Hammer.
- Stainless Steel Swivel.
- Premium long lasting Finish.

7.26K / 115mm NS 2018 KMHA **WA CERTIFIED**  
6.00K / 110mm NS 2018 KMHB  
5.45K / 108mm NS 2018 KMHD  
5.00K / 105mm NS 2018 KMHC  
4.00K / 98mm NS 2018 KMHE **WA CERTIFIED**  
3.00K / 88mm NS 2018 KMHF



Do....Dare....Win !!

## OLYMPIC ALLOY HAMMER

Shell made out of rust proof alloy (Stainless Steel) for high performing world champion. Precision machine turned to meet WA specification. Stainless Steel speed ball bearing. Spring steel wire and light & strong Aluminum WA Approved grip.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1122 XA	7.26 kg	110 mm	WA CERTIFIED
N 1122 XB	7.26 kg	115 mm	
N 1122 XBB	6.00 kg	105 mm	
N 1122 XD	5.45 kg	103 mm	
N 1122 XDD	5.00 kg	100 mm	
N 1122 XC	4.00 kg	95 mm	WA CERTIFIED
N 1122 XCA	3.00 kg	85 mm	

(Other sizes also available on request)



## OLYMPIC BRASS HAMMER

Cast brass shell turned to precision dia's to meet WA rules.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1121 A	7.26 kg	110 mm	WA CERTIFIED
N 1121 B	6.25 kg	107 mm	
N 1121 BB	6.00 kg	105 mm	
N 1121 C	5.45 kg	102 mm	
N 1121 CC	5.00 kg	100 mm	
N 1121 D	4.00 kg	95 mm	WA CERTIFIED
N 1121 DA	3.00 kg	85 mm	

(Fitted with WA Approved Aluminum handle)

(Other sizes also available on request)



## OLYMPIC STEEL HAMMER

Made out of Steel. A strong hammer at an economical cost that meets all WA specification. Perfectly precision machined to minimum dia.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1122 AS	7.26 kg	110 mm	WA CERTIFIED
N 1122 BS	7.26 kg	115 mm	
N 1122 CS	6.25 kg	107 mm	
N 1122 CSA	6.00 kg	105 mm	WA CERTIFIED
N 1122 DS	5.45 kg	103 mm	
N 1122 DSA	5.00 kg	100 mm	WA CERTIFIED
N 1122 ES	4.00 kg	95 mm	WA CERTIFIED

(Fitted with WA Approved Aluminum handle)

(Other sizes also available on request)



## COMPETITION TURNED IRON HAMMER

Precision machine turned to exact diameters.

CODE	WEIGHT	DIA	WA CERTIFIED
N 1122 AT	7.26 kg	119 mm	
N 1122 BT	6.00 kg	117 mm	WA CERTIFIED
N 1122 CT	5.45 kg	108 mm	
N 1122 DT	4.00 kg	100 mm	
N 1122 ET	3.63 kg	95 mm	
N 1122 HT	3.00 kg	92 mm	WA CERTIFIED

(Fitted with WA Approved Aluminum Handle)

(Other sizes also available on request)



## INTERNATIONAL TURNED IRON HAMMER

Machine turned to WA rules. Fitted with aluminum handle

CODE	WEIGHT
N 1123 IA	20 LBS
N 1123 IB	18 LBS
N 1123 ATF	7.26 kg
N 1123 FTF	6.25 kg
N 1123 TBB	6.00 kg
N 1123 CTF	5.45 kg
N 1123 ETF	5.00 kg
N 1123 DTH	4.50 kg
N 1123 DTF	4.00 kg
N 1123 TF	3.63 kg
N 1123 TG	3.25 kg
N 1123 TC	3.00 kg
N 1123 TH	2.72 kg
N 1123 TJ	2.00 kg

(Other sizes also available on request)



## CLUB AS CAST

Accurate weight untruned hammer with ball bearing & Steel Handle.

CODE	WEIGHT
N 1123 AA	20 LBS
N 1123 AB	18 LBS
N 1123 A	7.26 kg
N 1123 BA	14 LBS
N 1123 BB	6.00 kg
N 1123 C	5.45 kg
N 1123 CC	5.00 kg
N 1123 D	4.00 kg
N 1123 E	3.63 kg

(Other sizes also available on request)



Do....Dare....Win !!

## HAMMER GLOVES SUPER PRO

Specially designed from high quality leather to stand the rigours of toughest hammer throwers. Seam on outside finger eliminated for Perfect fit. With Wrap-around strap for best possible grip. The most used glove worldwide.

N1125XX

Available in camouflage option on request LH/RH, Small/Medium/Large/XL sizes.



## THROWING WEIGHT

Turned iron ball bearing swivel with triangular steel handle.

CODE	WEIGHT
N 1132 AT	56 LBS
N 1132 BT	35 LBS
N 1132 CT	25 LBS
N 1132 DT	20 LBS

(Other sizes also available on request)



## HAMMER CART

N1110 LEC  
Powder Coated Cart



HAMMER  
THROW

## HAMMER RACK


N1110 LE  
Collapsible Design. Powder Coated.



Do...Dare...Win !!

## HAMMER ACCESSORIES

N 1125 A	Hammer Handle Alum. Curved	
N 1125 B	Hammer Handle Alum. Straight	(WA Approved)
N 1125 C	Hammer Handle Super Pro	(Billet Aluminum)
N 1125 E	Hammer Handle Steel Practice.	
N 1125 F	Hammer Wire Steel.	



WA APPROVED HANDLE

## OLYMPIC PRO BLOCK N 1132 PR


The Nelco Olympic Block has been used in several international meets all over the world. Super heavy duty block especially designed for top athletes. All Aluminum block with center rail 100 mm wide x 900 mm long and slotted angles to firmly grip Pedals. Adjustable at four different angles. All Pedals fitted with special thick rubber to take in spikes. Suitable block for synthetic track. Comes with steel plates. Flushed to center rail. WA Certified



NELCO Trademark Toggles makes pedals adjustment easy.

## VELOCITEC SPT - 1 N 1132 V1

5 Angles adjustable, extruded aluminum pedals with toggle with easy adjustment. 5"W x 8"L stable pedals.



NELCO Trademark Toggles makes pedals adjustment easy.

## PRO ELITE ALUMINUM BLOCK N 1132 PRE

- Combines all the top features in one block
- 5 1/2"W x 10"L contoured pedals with toggle adjustments and 5 angles adjustments
- Pedals include spikes on bottom for better traction.
- 4"W self-contained center rails so pedals don't fall off.
- All aluminium construction with integral handle.



NELCO Trademark Toggles makes pedals adjustment easy.

## VELOCITEC SPT - 2 N 1132 V2

5 Angles adjustable, extruded aluminum pedals have horizontal angle adjustments of 45, 50, 60, 65 and 70 degrees. 7"W x 8"L stable pedals.




Horizontal adjustments.

Do....Dare....Win !!

## OLYMPIC BLOCK STADIUM N 1131 OSV - 1 / 2

Another version of our Olympic block with light aluminum pedals and 75 mm aluminum central rail. Detachable and adjustable aluminum pedals. WA Certified



Manual adjustment  
OSV-1





Toggle adjustment  
OSV-2

Please mention pedal  
option while ordering

## ELITE ALU. BLOCK N1131 OSC

An economy olympic block for school. 62mm aluminum central rail and aluminum pedals. Detachable and adjustable aluminum pedals.



## COMPETITION SUPER BLOCK (ALL SURFACE) N 1131 CSB

An all steel scaled down version of olympic blocks with slotted channel. Fixed angle pedals.



Do....Dare....Win !!



Fixed pedal

## OLYMPIC ELITE STEEL BLOCK N 1131 SSC

Another version of our Olympic block with large Steel pedals and 68 mm steel central rail. Detachable and adjustable Steel pedals.





Horizontal adjustments



## SCHOOL SUPER BLOCK N1131 SSM

All steel economy block gives a feel of the larger blocks to elementary runners. Fixed angle pedals.



## INDOOR STARTING BLOCK N1131 ID


Rubber block specially designed for indoor use. No nails-holes. Provides a not slip start.



STARTING  
BLOCK

## COMPETITION STARTING BLOCK N 1131 STL

All steel components and features a spring loaded plunger for easy pedal adjustment and secure locking. Complete with spikes for all types of surfaces.



## BLOCK CARRY BAG N 1132 BCB

Starting Block Carry Bag



Do....Dare....Win !!

## ALU. BLOCK CART N1131SBA

- Newly designed lightweight block cart with storage shelf.
- Made with durable aluminum (holds 10 blocks).
- Easily maneuverable with either new long handle or short handle plus 8" locking pivoting wheels.
- Storage tray at the bottom makes carrying additional items easy.
- Dia. 64"L x 39"W x 46"H



Do....Dare....Win !!

## STEEL BLOCK CART N 1132 SBC

Wider for more Storage and stability, this sturdy cart holds 10 blocks, plus it has a tray for carrying accessories. handles makes pulling easier. rolls easily on all surfaces and it has 2 pivoting solid wheels for turning corners. welded inserts add strength and stability.

Dia. 36"L x 31"W x 48"H



## SUPER OLYMPIA ALUMINIUM HURDLE N 1132 ALS

An All aluminium Hurdle in Square Tube Profile. Comes with a unique telescopic pinch free height adjust system. WA Spec strong Ribbed PVC Hurdle board. Easy-Glide Hurdle weight Adjust System. Powder Coated gliding weights ensure ultimate weather protection for years of hassle free usage. Bright coloured height and weight indicator stickers. Height Range 0.685m to 1.067m. WA Certified.



Also available in automatic version




## OLYMPIA ALUMINIUM HURDLE N 1132 AL

An All aluminium Hurdle in Square Tube Profile. Comes with a unique telescopic height adjust system. WA Spec strong Ribbed PVC Hurdle board. Easy-Glide Hurdle weight Adjust System. All Aluminium profile, Powder Coated gliding weights ensure ultimate weather protection for years of hassle free usage. Bright coloured height and weight indicator stickers. Height Range 0.685m to 1.067m. WA Certified.



## ELITE HURDLE UNITIZED N 1132 OHR

Made out of 50mm square tube base. square steel tube base frame steel tube for Extra Structural rigidity Unitized welded to take on beating. Aluminium sliding uprights. Easy selector system to adjust weight to required height. Easy stacking. Adequate toppling force as per WA rules. Comes with PVC Bar and powder coated. Phosphate treated & Powder Coated base. Height range 0.685m to 1.067 m WA CERTIFIED



Do....Dare....Win !!

### NATIONAL OLYMPIC HURDLE N 1132 OHS

Made out of 46mm square steel tubes. Unique indented base frame tube profile for superior structural rigidity. Powder Coated Base and Sliding Aluminum Uprights. Adjustable Weights. Available with PVC Bar. Height range 0.685m to 1.067 m




### CHALLENGER HURDLE N 1132 EF

Economy hurdle with 46 mm square folding legs. Available with adjustable weights, PVC bar and steel sliding tubes. Height range 0.685 m to 1.067m.



### TRAINING HURDLE PLYOMETRIC N 1132 PL

A simple scissor type hurdle for Plyometric and Hurdling exercises. Portable & collapsible on impact. Made out of strong steel tubes. Adjusts from 6" to 42" height. Available with PVC Bar.



### SPRING BACK HURDLE

Heavy duty steel base keeps hurdle in place. Special springs allow hurdle to rotate in either direction 70 degrees then return to the upright starting position. Adjustment form 24", 27", 30", 33", 36".



Do....Dare....Win !!


## ALUMINUM TRAINING HURDLE N 1132 TAL

All Aluminum superior fixed leg Hurdle. Adjustable height, plastic corners to insert tubes. Available with PVC Bar. Ideal for training.



## CLUB ROCKER HURDLE N 1132 RCW

A unique hurdle ideal for High Schools. Made of strong steel frame push button locking device to quickly adjust to your hurdling height. Comes with PVC Bar The L shaped base controls rocker action. Sealed weights control resistance. Dual tube base ensures structural strength and easy stacking. You just need to adjust height. Height range 0.685m to 1.067m. Unique hurdle ideal for professional.



## LITTLE ATHLETICS COLLAPSIBLE HURDLE N1132LA

Collapsible Hurdle made from 1" strong Stainless Steel tubes. Hurdle fully collapses when hit. Comes with PVC Bar.


Height Increments:

- 45cm
- 60cm
- 68cm
- 76cm



## COMPETITOR ROCKER HURDLE N 1132 RCC


A unique hurdle ideal for High Schools. Made of strong steel frame push button locking device to quickly adjust to your hurdling height. Comes with PVC Bar The L shaped base controls rocker action. Sealed weights control resistance. 38mm sturdy tubular base ensures structural strength and easy stacking. You just need to adjust height. Height range 0.685 m to 1.067 m. Unique hurdle ideal for professional.



Do....Dare....Win !!

### TRAINING HURDLE N 1132 TG

A light-weight strong hurdle designed for training. Steel sliding tubes and steel frame with easy to operate concealed push buttons for height adjustment. Height range 0.762m to 1.067 m. Available with PVC Bar.



### TRAINING HURDLE TG2 N 1132 TG2

Hurdle steel designed for training, easy to operate concealed push buttons for height adjustment. Unique design makes it more resistant to toppling Height range 0.685m to 1.067 m. Available with PVC Bar. Comes box packed for easy transport.



### SOFT TRAINING HURDLE N 1132 FH

Soft Training Hurdles are ideal for the beginning hurdler! Adjustable to: 30 in., 33 in., 36 in. and 39 in. Use both indoors and outdoors



### HURDLE DOLLY

**N1132 HCM 10**  
Accommodates 10 Hurdles. Comes with 2 wheels & powder coated finish.



### HURDLE CARTS

**N1132 HCM 20**  
Accommodates 20 Hurdles. Comes with 2 Fixed wheels and 2 universal rotating wheels. powder coated finish

**N1132 HCM 40**  
Accommodates 40 Hurdles. Comes with 2 Fixed wheels and 2 universal rotating wheels. powder coated finish



Do....Dare....Win !!

### **WATER JUMP HURDLE N 1132 WJB**

Heavy Duty Steel Profile with telescopic height adjustment system. Water - Resistant Polymer Top. Painted to WA Rules. 3.66m wide with height range of 0.762m to 0.914m. Weight within WA Rules.



Steel Under Gate Barrier optional extra. Available on order.

### **STEEPLE CHASE HURDLE N 1132 STH**

Heavy Duty Steel Profile with telescopic height adjustment system. Water - Resistant Polymer Top. Painted to WA Rules. 3.94 m wide with height range of 0.762m to 0.914m. Weight within WA Rules.



Do....Dare....Win !!

## HIGH JUMP STAND CHAMPIONSHIP N 1129 CH

Push button automatic height locking device.

- Extruded aluminum upright.
- Rollaway heavy-duty steel base gives great stability.
- Height level readout is at eye level.
- Adjust from 1'6"– 8'9".
- English & Metric scales.

JUMP  
STANDARDS

**NEW**



(Photo-1)



(Photo-2)



Do....Dare....Win !!



## HIGH JUMP STAND OLYMPIC PRO N 1129 OPR

Anodized uprights with built-in leveling system.

The principal section is fabricated out of a purpose designed Semi- Hollow extruded aluminium profile.

(140mm x 59mm x 5.5mm thickness)

- Telescopic tube is made out of 41.5mm square aluminium profile of 3mm thickness and capped with high quality plastic (Photo-1).
- Zinc-Plated steel Crossbar peg holders. (photo-2)
- Heavy duty powder coated steel base with wheels and levelers. Sleeve is welded on base to provide stability to uprights. (photo-3)


**WA CERTIFIED**



(Photo-1)



(Photo-2)



(Photo-3)



## OLYMPIC ROLL AWAY HIGH JUMP ALUMINUM STANDARD N 1129 DD

Uprights are made of strong, corrosion-resistant 40mm square aluminum tubes, mounted on square low steel base. Stand is ultimate in quality, durability & convenience. Uprights adjust from 60cm to 254cm. As per WA rules.



(Photo-1)



(Photo-2)



JUMP STANDARDS

Do....Dare....Win !!

## ELITE ROLL-AWAY STEEL HIGH JUMP STANDARD N 1129 ES

Made out of square strong steel tubes. 40mm square tubes mounted on square low steel bases. Convenient to handle. Ideal for high school. Uprights adjust from 60cm to 254 cm




(Photo-1)

(Photo-2)



## COMPETITION N 1129D

Aluminum construction with weighted steel T-Base. PVC scale. Maximum height 2.54m



(Photo-1)

(Photo-2)




JUMP  
STANDARDS

## SCHOOL STEEL


Steel construction with weighted steel base. PVC scale. Power coated.

N 1129 E Maximum Height 2.06m **school steel**  
N 1129 DA Maximum Height 2.54m **competition steel**




(Photo-1)

(Photo-2)



## SCHOOL ROLL-AWAY N 1129DR

Steel construction with roll-away base. Maximum height 2.54m



(Photo-1)

(Photo-2)



Do....Dare....Win !!

## OLYMPIC PRO POLE VAULT STANDARD N 1130 OPR

Anodized aluminum uprights. Sturdy steel bases to eliminate wobble. Roller wheels move in steel channel base. PVC Scales As Per WA Rules. Height adjustable up to 6.40 m

Aluminum uprights with built-in leveling system. The principal section is fabricated out of a purpose designed semi-hollow extruded aluminum profile (140mmx 59mm x 5.5mm thickness). Maximum height up to 6.40m



Telescopic tube is made out of 41.5 mm square aluminium profile of 3mm thickness.



Heavy cast Aluminium sliding clamp with top quality plastic knob to adjust height.



Super heavy-duty steel base equipped with wheels & synthetic rollers for stable movement of post within the steel side rails.



**WA CERTIFIED**

Do....Dare....Win !!

## COMPETITION POLE VAULT STANDARD N 1130 CPR

Powder coated steel uprights. Sturdy steel bases to eliminate wobble. Roller wheels move in steel channel base. PVC Scales as per WA Rules. Maximum height up to 5.80m.



(Photo-1)



(Photo-2)



## SCHOLASTIC POLE VAULT STANDARD N 1130 VS

Powder coated steel uprights. Sturdy steel bases to eliminate wobble. Roller wheels move in steel channel base. PVC Scales as per WA Rules. Maximum height up to 4.80m.



(Photo-1)



(Photo-2)



## POLE VAULT MEASURING DEVICE N 1129 PVM



## POLE VAULT BAG N 1129 PVB

Weather-proof vaulting pole bag for up to five poles. Reinforced ends. With carry strap for easy handling. Adjustable fastening straps allow for easy adjustment of the bag's length, thereby matching the length of the poles inside the bag.



Do....Dare....Win !!

## MAXIMA TRAINING VAULTING POLES N 4000 PVA

Fiberglass Vaulting Pole. Made in USA with "FLEXITECH" technology.  
Length 4.25m. Weight Range 130 LBS To 150 LBS.  
"Signature" Tip.



## OLYMPIC PRO FIBERGLASS CROSS BAR

New Nelco Fiberglass Cross Bars with bright colours which are highly visible to athletes. Made in U.S.A.  
New Rounded cross bars ends to WA rules.

- N 1126 AF 4.00 m
- N 1126 BF 4.52 m

**WA CERTIFIED**



VERTICAL  
JUMPS

## ELASTIC TRAINING CROSS BAR N 1126 ET

Do....Dare....Win !!



## TWO-PIECE ALUMINUM FOLDING CROSS BARS

Circular with square plastic ends. 25mm dia.  
Push-Button type joint system.  
N 1127 E 4.00 m  
N 1127 F 4.52 m



## CROSSBAR BAR PLACER N1128C



**POLE VAULT LANDING AREAS**




Do....Dare....Win !!

**NELCO ADVANTAGE**


Skins made from both-side vinyl-coated non-tearing weather-proof fabric.  
Top pad is encased in non-tearing, spike-proof breather mesh.  
Purpose designed multi-density, beehive inspired foam lattice construction for safe and soft landing.  
Dual folded, multi-layered stitching, top quality velcro and zippers ensure years of trouble free usage.



FOAM LATTICE BEEHIVE  
CONSTRUCTION



NON-TEARING, SPIKE-PROOF  
BREATHER MESH.



NON-TEARING, WEATHER-PROOF  
VINYL FABRIC.

## POLE VAULT LANDING AREAS

### OLYMPIC PRO

N 2100 OPV

10.00M X 6.60M X 85 CM

### INTERNATIONAL OLYMPIC

N 2100 PV

8.00M X 6.00M X 81CM

IAAF CERTIFIED


#### DESCRIPTION :

#### SIZE

Base Unit  
Tapered Unit Front Left  
Tapered Unit Front Right  
Top Pad (7cm)  
Protection Pad

#### QTY.

8  
1  
1  
1  
2



POLE VAULT

### NATIONAL OLYMPIC

N 2100 NV

7.30M X 5.50M X 81CM

### STADIUM OLYMPIC

N 2100 SV

7.00M X 5.00M X 81CM

### ELITE OLYMPIC

N 2100 EV

6.80M X 5.00M X 75 CM

### COMPETITION COLLEGE

N 2100 CCV

6.50M X 5.00M X 71CM

### COMPETITION SCHOOL

N 2100 CSV

6.30M X 5.00M X 65CM


#### DESCRIPTION :

#### SIZE

Base Unit  
Tapered Unit Front Left  
Tapered Unit Front Right  
Top Pad (7cm)

#### QTY.


5  
1  
1  
1



Do....Dare....Win !!

### N2100 OSP

OPTIONAL VINYL ENCASED FOAM PROTECTION PADS FOR JUMP STANDARDS.



### POLE VAULT TROUGH OLYMPIC ALUMINIUM

N 1130 OI  
Box  
N 1130 OIL  
Lid  
N1130 H  
Steel



### TRAINING

5.00M X 5.00M X 61CM

#### DESCRIPTION :


#### SIZE

Base Unit  
Tapered Unit Front Left  
Tapered Unit Front Right  
Top Pad (7cm)

### N 2100 TAV

#### QTY.

3  
1  
1  
1



# HIGH JUMP LANDING AREAS



## NELCO ADVANTAGE

Skins made from both-side vinyl-coated non-tearing weather-proof fabric.


Top pad is encased in non-tearing, spike-proof breather mesh.

Purpose designed multi-density, beehive inspired foam lattice construction for safe and soft landing. Dual folded, multi-layered stitching, top quality velcro and zippers ensure years of trouble free usage.

Do....Dare....Win !!



FOAM LATTICE BEEHIVE  
CONSTRUCTION



NON-TEARING, SPIKE-PROOF  
BREATHER MESH.



NON-TEARING, WEATHER-PROOF  
VINYL FABRIC.






**INTERNATIONAL OLYMPIC PRO N 2100 OHJ**  
7.20M X 4.00M X 71 CM


**DESCRIPTION :**

<b>SIZE</b>	<b>QTY.</b>
Base Unit Center	2
Base Unit Left	1
Base Unit Right	1
Top Pad (7cm)	1



**INTERNATIONAL OLYMPIC PRO N 2100 OHJ**  
M X 4.00M X 71 CM (WA Certified)

<b>NATIONAL OLYMPIC</b> M X 3.00M X 66 CM	<b>N 2100 NHJ</b>
<b>STADIUM OLYMPIC</b> M X 3.00M X 61 CM	<b>N 2100 SHJ</b>
<b>ELITE OLYMPIC</b> 5.00M X 2.50M X 61 CM	<b>N 2100 EHJ</b>
<b>DESCRIPTION :</b>	<b>QTY.</b>
Base Unit Center	1
Base Unit Left	1
Base Unit Right	1
Top Pad (7cm)	1



**HIGH JUMPS**

**COLLEGE COMPETITION N 2100 CCHJ**  
4.50M X 2.20M X 55 CM

**HIGH SCHOOL COMPETITION N 2100 HCHJ**  
4.00M X 2.00M X 50 CM

**SCHOLASTIC N 2100 SCHJ**  
3.60M X 2.00M X 45 CM


**DESCRIPTION :**

<b>SIZE</b>	<b>QTY.</b>
Base Unit	1
Top Pad	1



**ELEMENTARY N 2100 EHJ**  
3.60M X 1.80M X 40 CM

**DESCRIPTION :**  
Single Unit Construction





**GARAGE SYSTEMS FOR LANDING AREAS**



- Super Structure Made From Galvanized Steel Tubes
- Covered With Galvanized Sheets
- Combination Of Free Moving and Fixed Wheels For Easy Mobility
- N 2100 GHJ FOR WA CERTIFIED HIGH JUMP PIT
- N 2100 GPV FOR WA CERTIFIED POLE VAULT PIT
- Other Sizes Available on Order



**TUBULAR STEEL POLE VAULT/ HIGH JUMP PIT PLATFORM**



**Do....Dare....Win !!**

## TECHNIQUE RAMP

A great training device for jumpers! The steel ramp is sturdy and easy to move. Covered with track surface so it feels and performs like a track and is spike resistant.  
N 2100 TR



## TAKE-OFF RAMP

The Take-off Ramp is a portable training tool for jumpers. This strong steel ramp is covered in a spike resistant track surface. It is easy to move. Spikes can be attached to prevent slipping.  
N 2100 TO




## HIGH JUMP MULTI - BAR REST ATTACHMENT

Eliminates the need for the constant raising and lowering of high jump standards. Designed to fit most high jump standards, the attachment has six bar rest pegs that are 3 in. apart. Attaches to standards with velcro.  
N 1129 BRA



## HIGH JUMP MEASURING DEVICE

N 2006 HMB



## PLATFORM CART WOODEN TOP - 5'X10 N 2100 PCW



## PLATFORM CART STEEL FRAME, ALUMINUM TOP - 5'X10 N 2100 PCA



Do....Dare....Win !!

### OLYMPIA COMPETITION JAVELINS

Competition Grade Javelins made out of extra-strong purpose-built "DURALUMINIUM" for enhanced rigidity. Steel tip and cotton cord (polyester core) grip. A high performance Javelin for top throwers.

OLYMPIA ODYSSEY 90	800gms/90mts N 8090 CJT	OLYMPIA ODYSSEY 75	600gms/75mts N 6075 CJT	OLYMPIA ODYSSEY 80	700gms/80mts N 7080 CJT
OLYMPIA JUPITER 80	800gms/80mts N 8080 CJT	OLYMPIA JUPITER 65	600gms/65mts N 6075 CJT	OLYMPIA AEROFLOAT 60	700gms/60mts N 7060 CJT
OLYMPIA ULTIMO 70	800gms/70mts N 8070 CJT	OLYMPIA ULTIMO 55	600gms/55mts N 6055 CJT		
OLYMPIA AEROFLOAT 60	800gms/60mts N 8060 CJT	OLYMPIA AEROFLOAT 50	600gms/50mts N 6050 CJT		



JAVELINS

### CHALLENGER COMPETITION JAVELINS

Made out of high strength aluminum alloy to WA rules. Javelins are designed to give maximum advantage to thrower. A performance Javelin for top throwers.

N 8000 CCI	800 gms
N 7000 CCI	700 gms
N 6000 CCI	600 gms
N 5000 CCI	500 gms
N 4000 CCI	400 gms



### CLUB TRAINING JAVELINS

Aluminum construction with weighted steel T-Base. PVC scale. Maximum height 2.54m. Designed for training at school level.

N 1112 A	25 mm Dia	800 gms
N 1112 B	25 mm Dia	700 gms
N 1112 C	25 mm Dia	600 gms
N 1112 D	25 mm Dia	500 gms
N 1112 E	25 mm Dia	400 gms



Do....Dare....Win !!



**JAVELIN CART**  
N 1110 JEC  
Powder Coated Cart



**JAVELIN RACK**  
N 1110 JE  
Collapsible Design  
Powder Coated



JAVELINS

**JAVELIN PRACTICE BALLS**

Practice Balls of 68 mm made of rubber shell filled with lead pellets.

Code	Weight
N1119 SR	400gms
N1119 TR	500gms
N1119 RR	600gms
N1119 UR	700gms
N1119 OR	800gms



**NOCKEN BALLS**

The ideal ball for javelin throwers.

N 2302 A	400 gm
N 2302 B	600 gm
N 2302 C	800 gm



**J-HEEL**

The J-Heel converts a regular track shoe into a multi-purpose track shoe for high jumpers and javelin throwers. Use on plant heel for javelin or plant heel on approach to high jump.

N 1110 JH



Do....Dare....Win !!

**JAVELIN ARC**

N 1116 A Painted Steel ARC made to IAAF rules.



**JAVELIN CARRYING BAG WITH TUBE**

Made with heavy-duty nylon bag with a PVC tube inside to protect the Javelins from damage. The 600 gram fits up to 5 women's javelins.

The 800 gram fits up to 4 men's javelins.

N 1110 JB



### ARENA BOX (DISTANCE MARKER)

Unique 3 dimensional construction for all round visibility.



N1131 DMF (FIBER GLASS)

PREMIUM  
N1131 DMF (POLYETHYLENE)

### LANE - MARKER BOX

Unique 3 dimensional construction For all round visibility.




N 1131 LMF (FIBER GLASS)

PREMIUM  
N 1131 LMF (POLYETHYLENE)



### LAP COUNTER WITH BELL N 2400 LAR

- Tublar steel frame
- Heavy metal base with wheels
- Brass bell
- Flip type numbers



### SCORE BOARDS N 2400 SB

- Made to Order.
- Available for various applications.
- Weighted heavy base.
- Flip type numbers.

Do....Dare....Win !!

### RELAY BATONS PLASTIC SENIOR N 1132 AP/BP

N 1132 SET OF 8 COLOURS  
N 1132 SET OF 6 COLOURS



### RELAY BATONS ALUMINIUM

Powder Coated finish with silk screening  
N 1132 A SET OF 6 COLOURS **WA CERTIFIED**  
N 1132 B SET OF 8 COLOURS **WA CERTIFIED**  
N 1132 AJ JUNIOR SET OF 6 COLOURS  
N 1132 BJ JUNIOR SET OF 8 COLOURS



### STARTER ROSTRUM N 1120 SR

Made out of steel tubes, anti-slip steel platform and large wheels for easy movement.



### MEASURING TAPES N 1133

FIBERGLASS : Available in open reel & closes reel models (10 to100 m)  
STEEL : Available in 13 mm wide open reel mode (10 to100 m)

### MEASURING WHEEL

N 1133 ASS Plastic wheel  
N 1133 BSS Steel wheel  
(Wheel calibration 1m)




• Not available for Sale in India

Do....Dare....Win !!

**MULTI- IMPLEMENT  
CART N 2006 MIC**

Powder Coated Steel Construction



**FOUL INDICATORS  
N 1132 FM**

Made from light weight steel and powder coated for long life.



**DISCUS / SHOT MARKERS  
N 1132 DM**

Made from light weight steel and powder coated for long life.



**RUNWAY MARKERS  
N 1132 DMR**

Made from light weight steel and powder coated for long life.

**MEASURING FRAME FOR  
LONG JUMP/TRIPLE JUMP N 1132 LG**

Fiber Glass Construction for Durability & Long Life



Do....Dare....Win !!



**VICTORY STAND (INDIVIDUAL) N 2006 VSI**  
**VICTORY STAND (TEAM) N 2006 VST**

Sturdy Steel Construction With Rubber Top



**POLE VAULT/CROSSBAR RACK N 2006 PCR**



ACCESSORIES

**WIND SOCK N 2006 WS**

Do....Dare....Win !!



**ATHLETE BENCH**

N 2006 AB10 10 SEATER  
 N 2006 AB12 12 SEATER





**HURDLE MEASURING BAR DEVICE  
N 2006 HMB**



**FINISHING POST STEEL  
N 2006 FPS**



**JUDGES/TIME KEEPER'S STAND  
N 2006 JSC**



**LONG/TRIPLE JUMP RAKE**

Long Jump and Triple Jump Pit Rakes make raking and levelling sand pits easier. Straight edge on reverse side of teeth is used to level pit after raking.  
N 3024 FRA 24"  
N 3036 FRA 36"  
N 3048 FRA 48"



Do....Dare....Win !!

## ALU. DISCUS CIRCLE

The Aluminum Discus Circle comes in four pieces that you put together to form a ring.  
The Discus ring is 8' 2 1/2 in. in diameter.  
N 1110 ADC



## STEEL DISCUS CIRCLE - FLAT POWDER COATED

N 1110 SDF





## PORTABLE DISCUS THROWING PLATFORM

N 1110 DTP



## CONVERSION CIRCLE STEEL

N 1110 CVC



Do....Dare....Win !!

**SHOT PUT THROWING PLATFORM  
WITH TOE BOARD **PORTABLE****

N 1120 PC



**FLAT SHOT CIRCLE**

POWDER COATED STEEL

N 1120 SSC



**ALU. SHOT CIRCLE**

The Shot Circle comes in four pieces that you put together to form a ring. The circle has 3 longer sections, and a shorter section to accommodate insertion of the toe board. The Shot ring is 7' in diameter.

N 1120 ASC



Do....Dare....Win !!


## DISCUS & SHOT CIRCLE

Made out of steel to WA specifications with spider pattern construction for accurate adjustment for installation.

- N 1110 F Discus
- N 1120 F Shot
- N 1125 H Hammer


### OPTIONS

- Hot Galvanizing.
- Attachment for Toe Board.



## ALUMINUM TOE BOARDS

- N 1120 AL LEVEL PAD
- N 1120 ALDP DEPRESSED PAD



## STEEL TOE BOARDS

Fabricated steel frame. Powder coated.

- N 1120 ST LEVEL PAD
- N 1120 STSP DEPRESSED PAD



FIELD EQUIPMENT

## TAKE OFF TRAY SYSTEM



- Made out of Galvanized steel to WA specifications.
- Consists of Tray, Take Off Board and Plasticine Board
- Unique adjustment for leveling
- N 1120 TTS


## LONG JUMP TAKE OFF BOARD N 1120 H

Made out of selected laminated wood and painted to resist weather.



## SHOT PUT RETURNING CHANNEL

Made out of steel to WA specifications. (18m)  
N 1120 SRC




Do....Dare....Win !!

## DISCUS CAGE OLYMPIC N 1110 JAA

- 4" Curved M.S. Poles attached to in-ground sleeves with hinges.
- Very easy to assemble and dismantle.
- Pole to Pole arm attachments for extra stability.
- Multiple pulleys on each Pole for unhindered movement of net on flexible steel wires.
- IAAF Spec netting. made from protected nylon.

N 1110 JAASS

Option available for complete Stainless Steel construction.



## HAMMER CAGE OLYMPIC N 1125 GG

- 4" Curved M.S. Poles attached to in-ground sleeves with hinges. for easy assembly and dismantling.
- Pole to Pole Arm Attachments for Stability.
- Multiple pulleys on each Pole for unhindered movement of net on flexible steel wires.
- Extra large rubber encased wheels on gates for easy stress free movement.
- IAAF Spec netting made from UV protected nylon.

N 1125 GGSS

Option available for complete Stainless Steel construction.

## MARKER CONES

NAC-001 10CM (4")  
 NAC-002 15CM (6")  
 NAC-003 22CM (9")

NAC-004 30CM (12")  
 NAC-005 38CM (15")  
 NAC-006 45CM (18")

- Made from strong PVC
- Light weight cones with square base for stability



## SAUCER CONES

NAC-006

- Made from strong and flexible PVC.



## SAUCER CONE SET

NAC-016S

- Set of 50 saucer cones in 5 colours consisting of 10 of each colour.
- Come with a storage stand.



## DOME MARKER SET

NAC-019

- Made of soft plastic
- Come in a set of 40 dome markers in 4 colours consisting of 10 of each colour.



Do....Dare....Win !!

## RUBBER MEDICINE BALLS

1 KG	N2400 MA	6 KG	N2400 MF
2 KG	N2400 MB	7 KG	N2400 MG
3 KG	N2400 MC	8 KG	N2400 MH
4 KG	N2400 MD	9 KG	N2400 MI
5 KG	N2400 ME	10 KG	N2400 MJ

- One piece rubber molded medicine balls with incased valve for air adjustment.
- Available in assorted colours.



MEDICINE BALL

## PLYOMETRIC BOX (12", 18", 24", 30")

Made of 1- $\frac{1}{4}$ " , 14-gauge welded tubular steel. Landing surface is covered with 1/8" non-skid rubber with yellow coloured specs. Legs are constructed at a 6-degree outward angle to prevent tipping. Lightweight! Easy to move and stack. 2 year guarantee. The Set of 4 Black Plyo Boxes includes one each of the 12", 18", 24" and 30".

**N 1120 PLB**



Do....Dare....Win !!

## SPEED CHUTE

- NAR-001** 40"
- NAR-002** 48"
- NAR-003** 54"

- Ultimate resistance tool helps in improving speed, stamina, strength and acceleration.
- Comes in a carry bag.



## SHOULDER RESISTANCE HARNESS

### NAR-005

- Helps build stamina, strength and power.
- Includes a 10' belt attached to a shoulder harness.
- Comes in a carry bag.



## DUAL RESISTANCE HARNESS

### NAR-006


- Includes a cord attached to a belt on both ends.
- Comes in a carry bag.



## SPEED SLED

### NAR-012

- Improves speed, Acceleration and leg strength
- Includes a powder coated steel sledge and belt attached to a shoulder harness
- User is required to put add-on weights to sledge.





### SPRINT SLED NAR 012A

Train your sprinters to explode out of the blocks with the Sprint Sled. The sprint sled glides over the starting blocks. Holds Olympic style plates. Includes drag strap and waist belt.



### TRAINING SLED NAR 012C

Training Sled Excellent for adding speed training to your workout, whether it is for aerobics, football, tennis, etc.



### ELITE SLED NAR 012B

The multi-point harness attachment on the Sled Dawg Elite allows for even load during pulling. Rear handles are great for pushing. Plate mount fits standard or Olympic Plates. Includes sled and shoulder harness.



### ECONOMY FLAT-BOTTOM SLED NAR 012D

The Economy Flat Bottom Sled is great for speed training and conditioning. Just add weight plates and start training! Flat bottom makes it ideal for using on a track, turf or grass. Ridges on the top of the sled allow for an easier grip when taking plates off. Great for using with any style of Olympic plates. Includes sled, harness and drag strap. Measures 23.5 in. L x 18.5 in. W x 12.5 in. H.



Do....Dare....Win !!

## PRO ADJUSTABLE HEIGHT AGILITY HURDLES

**NAH001** Height Adjustable From 12" to 15" or 18"

**NAH002** Height Adjustable From 21", 24", 27", 30", 33" or 36".

Made of Strong PVC with Detachable Corners for ease of storage and mobility. Calibration provided on uprights for easy height adjustment.



## MULTI HEIGHT AGILITY HURDLES

**NAH-004** Comes in one color.

**NAH-005** Comes in dual colors.

- Made of strong PVC
- Hurdle can be adjusted from 6" to 12" by twisting the legs to reverse direction.

## PRO ADJUSTABLE HEIGHT AGILITY HURDLES

- NAH - 006** 6"
- NAH - 007** 9"
- NAH - 008** 12"
- NAH - 009** 15"
- NAH - 010** 18"

• Made of strong PVC



## PRO SPEED LADDER

**NAL-003** 4 m  
**NAL-004** 8 m

- Made from 20" wide flat plastic rungs and nylon tape.
- Distance between strips can be adjusted.
- Comes in a carry Bag.



## CLUB SPEED LADDER

**NAL-005** 4 m  
**NAL-006** 8 m

- Made from 16" wide flat plastic rungs and nylon tape.
- Distance between strips can be adjusted.
- Comes in a carry bag.



## CLUB SPEED LADDER

**NAL-013**


- Consists of 12 rings of 18" dia attached together with velcro tape.
- Rings can be adjusted to create endless formations.
- Comes in a carry bag.



## HOOPS

**NAM 051** 18" DIA  
**NAM 052** 24" DIA  
**NAM 053** 36" DIA


- Hollow PVC tubes of 20 mm dia.



## TENNIKOIT RINGS

**NAE-008**

- 7" dia sponge filled rings
- Available in assorted colours



## REFEREE FLAGS LINESMAN FLAG FOR FOOTBALL

**NAM 048** Red Colour  
**NAM 049** Yellow Colour  
**NAM 050** Checkered



## GYMNASTIC CLUBS

**NAE-001**

- Plastic clubs in assorted colours
- 44 cm official size
- 155 gms regulation weight



## FRISBEE

**NAE-006**

PLASTIC FLYING DISC



## DOUBLE COLOR FLAGS



**NAM 048 DRW**  
**NAM 048 DYW**

## TRAINING PINNIES

**NAM-003**

- Synthetic vests with elastic at the sides
- Available in assorted colours
- Available in S,M,L& XL sizes.  
(Set of 12 Pcs)



## REACTION BALL

**NAM-004**  
**NAM-005**

**SMALL DIA**  
**LARGE DIA**

- Non-Marking 6 sided rubberised balls.
- Unpredictable bounce helps in quick judgement.



## SPORTS MOUTH GUARDS

SENIOR (25PCS PER BOX) **N 2001 AMG**  
JUNIOR (25PCS PER BOX) **N 2001 BMG**  
DOUBLE (26PCS PER BOX) **N 2001 CMG**



**NEW**  
**ARRIVAL**

**Nelco®**  
Do....Dare....Win !!

**ODYSSEY**



**SOFT TRAINING HURDLE**



**SPRINT SLED**



**PORTABLE DISCUS  
THROWING PLATFORM**



**CONVERSION CIRCLE STEEL**



**TECHNIQUE RAMP**



**LONG/TRIPLE JUMP RAKE**



**TRAINING SLED**



**TAKE-OFF RAMP**



**NEW**  
**ARRIVAL**

**Nelco®**  
Do....Dare....Win !!

**HIGH JUMP STAND  
CHAMPIONSHIP**



**PLATFORM CART WOODEN**



**PLATFORM CART STEEL FRAME**



**(DISTANCE MARKER)**



**MULTI-IMPLEMENT  
CART**



**(LANE MARKER)**



**SHOT PUT THROWING PLATFORM  
WITH TOE BOARD **PORTABLE****



# **REMARKS**

A series of 18 horizontal dashed lines for writing remarks.

# TRACK



# AND FIELD

# Nelco®

**Do....Dare....Win !!**

H.O: B-15,16 SPORTS GOODS COMPLEX,  
DELHI ROAD MEERUT -250002 (INDIA)  
Tel.91-121-2511149, 2514117, 2515425  
E-Mail: info@nelcworld.com

B.O: MBT COMPOUND, HOSUR ROAD  
BOMMANAHALLI, BENGALURU (KA)  
Tel: 080-41219656, 9036059872  
E-mail: depot@nelcworld.com

SALES:	+91-8006406790	(Southern India)
	+91-9997832727, 9997837575	(Rest of India)
DESPATCH INFO:	+91-8006406791	(Southern India)
	+91-9997832626	(Rest of India)

A Socially Audited Greenfield ISO 9001:2015 Certified Organization

[www.nelcworld.com](http://www.nelcworld.com)